

FIORETTI ATLAS COPCO



IMPUGNATURA FIORETTO 19X108 – (X= 19 mm / Y= 108 mm)			
SERIE	LUNGHEZZA "L" mm	DIAMETRO "D" mm	PESO kg
21	400	29	1.3
	500	29	2.0
	800	28	2.2
	1000	28	2.6
	1200	27	3.0
	1600	27	4.4
	2400	26	5.7
	3200	25	7.5
	4000	24	9.2
22	400	24	1.3
	800	23	2.2
24	600	27	1.7
	1200	26	3.1
	2400	24	5.7
25	400	35	1.4
	800	34	2.3
	400	24	1.4
	400	29	1.4
	600	27	1.8
	800	23	2.3
	800	28	2.3
	1200	23	3.0
	1600	27	4.0
	2000	28	5.0
	2400	26	5.8

FIORETTI ATLAS COPCO




IMPUGNATURA FIORETTO 22X108 – (X= 22 mm / Y= 108 mm)			
SERIE	LUNGHEZZA "L" mm	DIAMETRO "D" mm	PESO kg
11	800	34	3.0
	1600	33	5.4
	2400	32	7.9
	3200	31	10.3
	4000	30	12.6
	4800	29	15.1
	5600	28	17.6
	6400	27	19.9
	7200	26	22.3
12	800	40	3.0
	1600	39	5.4
	2400	38	7.8
	3200	37	10.3
	4000	36	12.6
	4800	35	15.1
	5600	34	17.6
	6400	33	19.8
	7200	32	22.2
13	8000	31	24.6
	400	34	1.7
	800	33	3.0
	1200	32	4.2
	1600	31	5.3
	2000	30	6.5

FIORETTI ATLAS COPCO



IMPUGNATURA FIORETTO 22X108 – (X= 22 mm / Y= 108 mm)			
SERIE	LUNGHEZZA "L" mm	DIAMETRO "D" mm	PESO kg
16	600	35	2.4
	1200	34	4.2
	1800	33	6.1
	2400	32	7.9
17	600	41	2.4
	1200	40	4.3
	1800	39	6.1
	2400	38	7.8
	400	35	1.7
	400	41	1.8
	800	29	3.0
	800	38	3.1
	1200	33	4.3
	1200	39	4.3
	1600	28	5.3
	1600	36	5.5
	1800	36	6.0
	2000	32	6.6
	2000	33	6.6
	2100	33	6.9
	2400	27	7.9
	3200	27	10.2
	3200	28	10.5
	3200	32	10.5
	6400	30	19.8
	8000	26	24.7
	9600	29	30.4

FIORETTI ATLAS COPCO



FIORETTI A SEZIONE RIDOTTA - IMPUGNATURA CON ESAGONO 19X108			
LUNGHEZZA L mm	LUNGHEZZA TL (mm)	DIAMETRO mm	PESO Kg
210	150	17	0.6
210	150	20	0.7
210	150	22	0.7
260	200	20	0.8
260	200	22	0.8
310	250	22	0.8
340	280	20	0.9
210	150	20	0.7
210	150	22	0.7